

## ANSI COBRA® PRO STYLE

**38 mm**

Art.no.: FX38KVF



The new adaptations to the patented locking mechanism allow for easier locking, which can be confirmed by the distinct 'clicking' sound made when properly locked. One-sided locking of the buckle is essentially impossible. The ANSI COBRA® PRO STYLE distinguishes itself by the high flexibility between the male and female parts while the buckle is closed. All ANSI COBRA® PRO STYLE buckles are compatible.


The ANSI COBRA® PRO STYLE, certified according to the American safety standard ANSI, is thicker and even stronger than the COBRA® PRO STYLE. This buckle is marked according to the ANSI norm with a guaranteed tensile strength of 15 kN. However, we guarantee 18 kN and point this out in the technical specifications accordingly. Certified according to ANSI/ASSE and upon request NFPA.

### use cases:

PPE, Fashion, air sports, tactical, equipment

## Technical specifications

<b>BODY</b>	<b>Material:</b> aluminium <b>Color:</b> black <b>Finish:</b> ktl coated
<b>CLIPS</b>	<b>Material:</b> brass <b>Color:</b> colorless <b>Finish:</b> polished
<b>BAR</b>	<b>Material:</b> stainless steel <b>Color:</b> colorless <b>Finish:</b> polished
<b>BREAKING LOAD TENSILE STRENGTH</b>	18 kN
<b>WEIGHT</b>	82 g
<b>RECOMM. WEBBING WIDTH MALE PART</b>	38 mm

<b>RECOMM. WEBBING WIDTH FEMALE PART</b>	38 mm
<b>SLOT WIDTH MALE PART</b>	12 mm
<b>SLOT WIDTH FEMALE PART</b>	8 mm
<b>OUTER DIMENSION LENGTH</b>	65 mm
<b>OUTER DIMENSION WIDTH</b>	52 mm
<b>OUTER DIMENSION DEPTH</b>	12 mm
<b>TECHNICAL DESIGN MALE PART</b>	adjustable
<b>TECHNICAL DESIGN FEMALE PART</b>	non adjustable
<b>SIZE OF CLIPS</b>	standard
<b>COUNTRY OF ORIGIN</b>	Austria
 <b>Patented</b>	
<b>STANDARDS</b>	ANSI/ASSE Z359.12-2019, CSA Z259.12-2016 Class II, EN358:2018-11 (partial)



