

ANSI COBRA® PRO STYLE

25 mm

Art.no.: FX25KVF



The new adaptations to the patented locking mechanism allow for easier locking, which can be confirmed by the distinct 'clicking' sound made when properly locked. One-sided locking of the buckle is essentially impossible. The ANSI COBRA® PRO STYLE distinguishes itself by the high flexibility between the male and female parts while the buckle is closed. All ANSI COBRA® PRO STYLE buckles are compatible.

The ANSI COBRA® PRO STYLE, certified according to the American safety standard ANSI, is thicker and even stronger than the COBRA® PRO STYLE. This buckle is marked according to the ANSI norm with a guaranteed tensile strength of 15 kN. However, we guarantee 18 kN and point this out in the technical specifications accordingly. Certified according to ANSI/ASSE and upon request NFPA.

use cases:

PPE, Fashion, air sports, tactical, equipment

Technical specifications

BODY	Material: aluminium Color: black Finish: ktl coated
CLIPS	Material: brass Color: colorless Finish: polished
BAR	Material: stainless steel Color: colorless Finish: polished
BREAKING LOAD TENSILE STRENGTH	18 kN
WEIGHT	68 g
RECOMM. WEBBING WIDTH MALE PART	25 mm

RECOMM. WEBBING WIDTH FEMALE PART	25 mm
SLOT WIDTH MALE PART	14 mm
SLOT WIDTH FEMALE PART	8 mm
OUTER DIMENSION LENGTH	63 mm
OUTER DIMENSION WIDTH	40 mm
OUTER DIMENSION DEPTH	12 mm
TECHNICAL DESIGN MALE PART	adjustable
TECHNICAL DESIGN FEMALE PART	non adjustable
SIZE OF CLIPS	standard
COUNTRY OF ORIGIN	Austria
 Patented	
STANDARDS	ANSI/ASSE Z359.12-2019, CSA Z259.12-2016 Class II, EN358:2018-11 (partial)
	

